

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/722,111	11/25/2003	Krishna Kumar	042933/302434	4834
826	7590 06/05/2006		EXAMINER	
ALSTON & BIRD LLP			CONTEE, JOY KIMBERLY	
	AMERICA PLAZA I TRYON STREET, SUI	ΓE 4000	ART UNIT PAPER NUMBER 2617	
	ΓΕ, NC 28280-4000	.2 .000		
			DATE MAILED: 06/05/200	6

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)
		10/722,111	KUMAR ET AL.
Office Ac	tion Summary	Examiner	Art Unit
		Joy K. Contee	2617
The MAILING Period for Reply	DATE of this communication app	pears on the cover sheet with the c	orrespondence address
A SHORTENED STA WHICHEVER IS LON - Extensions of time may be after SIX (6) MONTHS from - If NO period for reply is spe - Failure to reply within the si - Any reply received by the Co	NGER, FROM THE MAILING Day available under the provisions of 37 CFR 1.13 in the mailing date of this communication. incified above, the maximum statutory period wet or extended period for reply will, by statute	Y IS SET TO EXPIRE 3 MONTH() ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from 1, cause the application to become ABANDONED 2 date of this communication, even if timely filed	l. ely filed the mailing date of this communication. O (35 U.S.C. § 133).
Status			
2a)☐ This action is F 3)☐ Since this appli	cation is in condition for allowar	ovember 2003. action is non-final. nce except for formal matters, pro x parte Quayle, 1935 C.D. 11, 45	
Disposition of Claims			
4a) Of the abov 5) ☐ Claim(s) 6) ☑ Claim(s) <u>1-20</u> is 7) ☐ Claim(s)	s/are rejected.	vn from consideration.	
Application Papers			
10)⊠ The drawing(s) Applicant may no Replacement dra	ot request that any objection to the awing sheet(s) including the correct	r. cepted or b) objected to by the drawing(s) be held in abeyance. See ion is required if the drawing(s) is objected. caminer. Note the attached Office	ected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C.	§ 119		
a) All b) So 1. Certified 2. Certified 3. Copies o application	me * c) None of: copies of the priority documents copies of the priority documents f the certified copies of the prior on from the International Bureau	s have been received in Application it is documents have been received	on No d in this National Stage
Attachment(s) 1) ☑ Notice of References Cit	od (PTO 802)	∆ □	(DTO 442)
2) Notice of Draftsperson's	ed (PTO-892) Patent Drawing Review (PTO-948) tatement(s) (PTO-1449 or PTO/SB/08)	4)	(PTO-413) te atent Application (PTO-152)

Art Unit: 2617

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 2. Claims 1-20 are rejected under 35 U.S.C. 102(e) as being anticipated by Akama, US 2004/01 :1186.



Regarding claim 1, Akama discloses in a packet radio communication system that provides for roaming operation of a mobile node during a first packet data communication session, an improvement of apparatus for facilitating creation of a second packet data communication session at least during a selected time interval concurrent with the first packet data communication session, said apparatus comprising: a second-session indicator at least selectably operable at least during the first packet data communication session to initiate the creation of the second packet data communication session, said second-session initiator for initiating the second packet data communication session with a registration request that requests registration of the mobile node to communicate pursuant to the second packet data communication session; and a second-session data communicator also at least selectably operable at least during the first packet data communication session and subsequent to registration

Art Unit: 2617

of the mobile node requested by said second-session initiator, said second-session data communicator for communicating second-session packet data pursuant to the second packet data communication session at least during the selected time interval concurrent with the first packet data communication session (pp. 1 [0012] pp. 2 [0019] pps. 4-5 [0056-0078] and pp. 8 [0069-0078] and see Fig. 2).

Regarding claim 2, Akama discloses the apparatus of claim 1 wherein said second-session initiator initiates the creation of the second packet data communication session responsive to a mobile-node-generated input command (pp. 1 [0012] pp. 2 [0019] pps. 4-5 [0056-0078] and pp. 8 [0069-0078] and see Fig. 2).

Regarding claim 3, AKAMA discloses the apparatus of claim 1 wherein said second-session initiator initiates the creation of the second packet data communication session responsive to an externally-generated input delivered to the mobile node (pp. 1 [0012] pp. 2 [0019] pps. 4-5 [0056- 0078] and pp. 8 [0069-0078] and see Fig. 2).

Regarding claim 4, AKAMA discloses the apparatus of claim 3 wherein the externally-generated input comprises a push message delivered to the mobile node (pp. 1 [0012] pp. 2 [0019] pps. 4-5 [0056- 0078] and pp. 8 [0069-0078] and see Fig. 2).

Regarding claim 5, AKAMA discloses the apparatus of claim 4 wherein the packet radio communication system provides for short message service messaging and wherein the push message responsive to which said second-session initiator initiates the creation of the second packet data communication session comprises a short message server message (pp. 1 [0012] pp. 2 [0019] pps. 4-5 [0056- 0078] and pp. 8 [0069-0078] and see Fig. 2).

Art Unit: 2617

Regarding claim 6, X X discloses the apparatus of claim 1 wherein the second packet data communication session comprises an Internet Over The Air (IOTA) provisioning session and wherein the registration request generated by said second-session initiator requests initiation of the Internet Over The Air provisioning session (pp. 1 [0012] pp. 2 [0019] pps. 4-5 [0056- 0078] and pp. 8 [0069-0078] and see Fig. 2).

Regarding claim 7, X X discloses the apparatus of claim 6 wherein provisioning indicia is associated with the Internet Over The Air provisioning session and wherein the registration request is generated in accordance with the provisioning indicia (pp. 1 [0012] pp. 2 [0019] pps. 4-5 [0056- 0078] and pp. 8 [0069-0078] and see Fig. 2).

Regarding claim 8, AKAMA discloses the apparatus of claim 6 wherein provisioning indicia is associated with the Internet Over The Air Internet provisioning session and wherein the registration request is generated to initiate downloading of the provisioning indicia (pp. 1 [0012] pp. 2 [0019] pps. 4-5 [0056- 0078] and pp. 8 [0069-0078] and see Fig. 2).

Regarding claim 9, AKAMA discloses the apparatus of claim 6 wherein the packet radio communication system further comprises an Internet Over The Air home agent and wherein the registration request generated by said second-session initiator is routed to the Internet Over The Air home agent(pp. 1 [0012] pp. 2 [0019] pps. 4-5 [0056-0078] and pp. 8 [0069-0078] and see Fig. 2).

Regarding claim 10, AKAMA discloses the apparatus of claim 9 wherein the second session data communication session comprises an Internet Over The Air provisioning session and wherein said second session data communicator

Art Unit: 2617

communicates with the Internet Over The Air Home Agent pursuant to the Internet Over The Air provisioning session (pp. 1 [0012] pp. 2 [0019] pps. 4-5 [0056- 0078] and pp. 8 [0069-0078] and see Fig. 2).

Regarding claim 11, AKAMA discloses the apparatus of claim 10 further comprising a second session deregistrator at least selectably operable subsequent to registration of the mobile node responsive to the registration request used by said second session initiator to initiate the creation of the second packet data communication session, said second session deregistrator for initiating deregistration of the mobile node out of the Internet Over The Air provisioning session that forms the second packet data communication session(pp. 1 [0012] pp. 2 [0019] pps. 4-5 [0056-0078] and pp. 8 [0069-0078] and see Fig. 2).

Regarding claim 12, AKAMA discloses the apparatus of claim 11 wherein said second session deregistrator initiates deregistration of the mobile node out of the Internet Over The Air provisioning session with a deregistration request, the deregistration request for communication to the Internet Over The Air Home Agent (pp. 1 [0012] pp. 2 [0019] pps. 4-5 [0056-0078] and pp. 8 [0069-0078] and see Fig. 2).

Regarding claim 13, AKAKAMA discloses the apparatus of claim 12 wherein the Internet Over The Air home agent, subsequent to detection of the deregistration request, deregisters the mobile node out of the Internet Over The Air provisioning session(pp. 1 [0012] pp. 2 [0019] pps. 4-5 [0056- 0078] and pp. 8 [0069-0078] and see Fig. 2).

Art Unit: 2617

Regarding claim 14, AKAMA discloses the apparatus of claim 11 further comprising an inactivity determiner, said inactivity determiner for determining inactivity of communications pursuant to the Internet Over The Air provisioning session (pp. 1 [0012] pp. 2 [0019] pps. 4-5 [0056- 0078] and pp. 8 [0069-0078] and see Fig. 2).

Regarding claim 15, AKAMA discloses in a method for communicating in a packet radio communication system that provides for roaming operation of a mobile node during a first packet data communication session, an improvement of a method for facilitating creation of a second packet data communication session at least during a selected time interval concurrent with the first packet data communication session, said method comprising: initiating, at least during the first packet data communication session, the second packet data communication session initiated with generation of a registration request that requests registration of the mobile node to communicate pursuant to the second packet data communication session; communicating second packet-session packet data communication session at least during the selected time interval concurrent with the first packet data communication session (pp. 1 [0012] pp. 2 [0019] pps. 4-5 [0056-0078] and pp. 8 [0069-0078] and see Fig. 2).

Regarding claim 16, AKAMA discloses the method of claim 15 further comprising the operation of requesting initiation of the second packet data communication session and wherein said operation of initiating is performed responsive to request generated during said operation of requesting (pp. 1 [0012] pp. 2 [0019] pps. 4-5 [0056- 0078] and pp. 8 [0069-0078] and see Fig. 2).

Art Unit: 2617

Regarding claim 17, AKAMA discloses the method of claim 15 wherein the second packet data communication session comprises an Internet Over The Air (IOTA) provisioning session and wherein the registration request generated during said operation of initiating requests initiation of the Internet Over The Air provisioning session(pp. 1 [0012] pp. 2 [0019] pps. 4-5 [0056-0078] and pp. 8 [0069-0078] and see Fig. 2).

Regarding claim 18, AKAMA discloses the method of claim 17 wherein provisioning indicia is associated with the Internet Over The Air provisioning session, and wherein said operation of communicating comprises providing the mobile node with the provisioning indicia (pp. 1 [0012] pp. 2 [0019] pps. 4-5 [0056-0078] and pp. 8 [0069-0078] and see Fig. 2).

Regarding claim 19. AKAKAMA discloses the method of claim 18 further comprising the operation of ending the Internet Over The Air Provisioning session when the provisioning indicia is delivered to the mobile node (pp. 1 [0012] pp. 2 [0019] pps. 4-5 [0056-0078] and pp. 8 [0069-0078] and see Fig. 2).

Regarding claim 20, AKAMA discloses the method of claim 17 wherein the packet radio communication system further comprises an Internet Over The Air home agent and wherein the registration request generated during said operation of initiating is sent to the Internet Over The Air home agent(pp. 1 [0012] pp. 2 [0019] pps. 4-5 [0056-0078] and pp. 8 [0069-0078] and see Fig. 2).

Conclusion

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Bright et al. US 2004/0209614, discloses an automated exchange of broadband communication.

Lockhart et al. US 6,229,806, discloses an authentication in a packet data system.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Joy K. Contee whose telephone number is 571.272.7906. The examiner can normally be reached on Monday through Friday, 5:30 a.m. to 2:00 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marsha Banks-Harold can be reached on 571.272.7905. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2617

Page 9

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JC

JOY K. CONTEE ATENTEXAMINER